



KLIK_KLAK_MICRO

ISTRUZIONI MONTAGGIO
ASSEMBLING INSTRUCTIONS

TECHNICAL DRAWINGS



● Ceiling or recessed
Soffitto o incasso

ATTENZIONE:

1. Prima di installare il sistema, leggere attentamente il foglio istruzioni
2. Togliere tensione prima dell'installazione o qualsiasi manutenzione
3. Non installare il sistema in ambienti umidi o bagnati
4. Questo sistema ha un grado di protezione IP20 ed è solo per installazione indoor
5. L'installazione e la manutenzione devono essere affidate a personale qualificato e devono essere eseguite conformemente alle prescrizioni delle vigenti normative impianti

IMPORTANT

1. Please read this instructions sheet before installing the system
2. Disconnect the power supply before installation or any maintenance work
3. Do not install the system in damp or wet areas
4. This IP20 system is only for indoor installation
5. Installation and maintenance must be carried out by qualified personnel and according to the current Directives on electrical systems

CONTENTS:







INCASSO/RECESSED	1-6
SUPERFICIE/CEILING OR WALL	6-10
SOSPENSIONE/SUSPENSION	10-12
GIUNZIONI LINEARI / LINEAR CONNECTIONS	12-13
GIUNZIONI/CONNECTIONS	13-15


KLIK_KLAK è sistema completo che si inserisce in maniera minimale negli spazi abitativi e commerciali rendendo la luce parte integrante del design. Declinabile in diverse tipologie di installazione (incasso a raso, a soffitto ed a sospensione) con la possibile aggiunta di curve, si adatta a qualsiasi superficie. L'inserimento dei corpi illuminanti a 24V con fissaggio magnetico completano il sistema, spaziando da un orientabile 10W a sorgenti puntiformi fisse e orientabili fino a profili con SMD per luce diffusa.

KLIK_KLAK is a complete range which discreetly steps into residential or commercial environments making light a fundamental part of the whole design project. The system can be applied for several applications (recessed,

corner accessories it's suitable for any kind of surface. The availability of several 24V lighting fittings with magnetic fastening completes the system. The lighting fittings which can be installed include: a 10W spot-light, some fixed or adjustable lighting dots and some profiles mounting SMD Led for general lighting.




5




profilo 1m/profile 1m


6



7




8




9




10




11




12




13




14




15




16




17




18




19




20




21




22



23




24




25




26




27




28



29



30




2 SUPERFICIE/CEILING OR WALL

1




2




3




4




5




6




7




8




9




10




11




12




13




14




15



16




17




18




19




20




21




22




23



24




25




3 SOSPENSIONE/SUSPENSION


1









2




3






10



11




12




4

GIUNZIONI LINEARI / LINEAR CONNECTIONS


1















2






3











LOGICA

Logica è un marchio di
Logica is a brand of:



Marino Cristal S.p.A.
Via Guardia del Consiglio 31
47899 Serravalle - Rep. di San Marino
Tel. (++378) 0549-901188
Fax (++378) 0549-900612
www.marinocristal.com
email: marinocristal@marinocristal.com